

## YAKIMA CHIEF, INC. PACKAGING SPECIFICATIONS - EXTRACT TINS

| 1/2 KG TIN  |                             |                                |
|---|-----------------------------|--------------------------------|
| <i>For contents of 150 gma, 200 gma, 250 gma, and 300 gma</i> |                             |                                |
| Description   | Standard (in, lbs)          | Metric (mm, kgs)               |
| Tin dimensions:   | 4.25OD x 3.20H in           | 107.95 X 81.28 mm              |
| Carton dimensions:  | 17.43L x 13.12W x 6.93H in  | 442.722 X 333.248 X 176.022 mm |
| Pallet dimensions:  | 48.00L x 40.00W x 4.50H in  | 1219.2 X 1016 X 114.3 mm       |
| Filled pallet dimensions:                                     | 48.00L x 40.00W x 39.00H in | 1219.2 X 1016 X 990.6 mm       |
| <b>Cubic Ft/M / pallet:</b>                                   | <b>43.33</b>                | <b>1.23</b>                    |
| Tin weight:   | 0.215                       | 0.098                          |
| Carton weight:  | 0.94                        | 0.43                           |
| Pallet weight:  | 35.0                        | 15.9                           |
| Total packaging weight:                                       | 279                         | 126.6                          |
| <b>Grams alpha per tin:</b>                                   | <b>150</b>                  | <b>150</b>                     |
| Net weight / tin*:  | 0.570                       | 0.259                          |
| <i>*Assuming an alpha of:</i>                                 | 58.0%                       | 58.0%                          |
| Tins / carton:  | 24                          | 24                             |
| Cartons / layer:  | 8                           | 8                              |
| Layers / pallet:  | 5                           | 5                              |
| Cartons / pallet:   | 40                          | 40                             |
| <b>Net product wt. / pallet:</b>                              | <b>547</b>                  | <b>248</b>                     |
| <b>Gross wt. / pallet:</b>                                    | <b>826</b>                  | <b>375</b>                     |
| <b>Grams alpha per tin:</b>                                   | <b>200</b>                  | <b>200</b>                     |
| Net weight / tin*:  | 0.760                       | 0.345                          |
| <i>*Assuming an alpha of:</i>                                 | 58.0%                       | 58.0%                          |
| <b>Net product wt. / pallet:</b>                              | <b>730</b>                  | <b>331</b>                     |
| <b>Gross wt. / pallet:</b>                                    | <b>1009</b>                 | <b>458</b>                     |
| <b>Grams alpha per tin:</b>                                   | <b>250</b>                  | <b>250</b>                     |
| Net weight / tin*:  | 0.950                       | 0.431                          |
| <i>*Assuming an alpha of:</i>                                 | 58.0%                       | 58.0%                          |
| <b>Net product wt. / pallet:</b>                              | <b>912</b>                  | <b>414</b>                     |
| <b>Gross wt. / pallet:</b>                                    | <b>1191</b>                 | <b>540</b>                     |
| <b>Grams alpha per tin:</b>                                   | <b>300</b>                  | <b>300</b>                     |
| Net weight / tin*:  | 1.102                       | 0.500                          |
| <i>*Assuming an alpha of:</i>                                 | 60.0%                       | 60.0%                          |
| <b>Net product wt. / pallet:</b>                              | <b>1058</b>                 | <b>480</b>                     |
| <b>Gross wt. / pallet:</b>                                    | <b>1337</b>                 | <b>607</b>                     |

**1 KG TIN**

*For contents of 250 gma, 300 gma, 400 gma, 450 gma, 500 gma and 600 gma*

| Description                      | Standard (in, lbs)          | Metric (mm, kgs)              |
|----------------------------------|-----------------------------|-------------------------------|
| Tin dimensions:                  | 4.25OD x 4.88H in           | 107.95 X 123.952 mm           |
| Carton dimensions:               | 17.13L x 12.75W x 5.38H in  | 435.102 X 323.85 X 136.652 mm |
| Pallet dimensions:               | 48.00L x 40.00W x 4.50H in  | 1219.2 X 1016 X 114.3 mm      |
| Filled pallet dimensions:        | 48.00L x 40.00W x 43.00H in | 1219.2 X 1016 X 1092.2 mm     |
| <b>Cubic Ft/M / pallet:</b>      | <b>47.78</b>                | <b>1.35</b>                   |
| Tin weight:                      | 0.27                        | 0.12                          |
| Carton weight:                   | 0.98                        | 0.44                          |
| Pallet weight:                   | 35.0                        | 15.9                          |
| Total packaging weight:          | 271.04                      | 122.9                         |
| <b>Grams alpha per tin:</b>      | <b>250</b>                  | <b>250</b>                    |
| Net weight / tin*:               | 0.950                       | 0.431                         |
| <i>*Assuming an alpha of:</i>    | 58.0%                       | 58.0%                         |
| Tins / carton:                   | 12                          | 12                            |
| Cartons / layer:                 | 8                           | 8                             |
| Layers / pallet:                 | 7                           | 7                             |
| Cartons / pallet:                | 56                          | 56                            |
| <b>Net product wt. / pallet:</b> | <b>639</b>                  | <b>290</b>                    |
| <b>Gross wt. / pallet:</b>       | <b>910</b>                  | <b>413</b>                    |
| <b>Grams alpha per tin:</b>      | <b>300</b>                  | <b>300</b>                    |
| Net weight / tin*:               | 1.140                       | 0.517                         |
| <i>*Assuming an alpha of:</i>    | 58.0%                       | 58.0%                         |
| <b>Net product wt. / pallet:</b> | <b>766</b>                  | <b>348</b>                    |
| <b>Gross wt. / pallet:</b>       | <b>1037</b>                 | <b>471</b>                    |
| <b>Grams alpha per tin:</b>      | <b>400</b>                  | <b>400</b>                    |
| Net weight / tin*:               | 1.520                       | 0.690                         |
| <i>*Assuming an alpha of:</i>    | 58.0%                       | 58.0%                         |
| <b>Net product wt. / pallet:</b> | <b>1022</b>                 | <b>463</b>                    |
| <b>Gross wt. / pallet:</b>       | <b>1293</b>                 | <b>586</b>                    |
| <b>Grams alpha per tin:</b>      | <b>450</b>                  | <b>450</b>                    |
| Net weight / tin*:               | 1.710                       | 0.776                         |
| <i>*Assuming an alpha of:</i>    | 58.0%                       | 58.0%                         |
| <b>Net product wt. / pallet:</b> | <b>1149</b>                 | <b>521</b>                    |
| <b>Gross wt. / pallet:</b>       | <b>1420</b>                 | <b>644</b>                    |
| <b>Grams alpha per tin:</b>      | <b>500</b>                  | <b>500</b>                    |
| Net weight / tin*:               | 1.901                       | 0.862                         |
| <i>*Assuming an alpha of:</i>    | 58.0%                       | 58.0%                         |
| <b>Net product wt. / pallet:</b> | <b>1277</b>                 | <b>579</b>                    |
| <b>Gross wt. / pallet:</b>       | <b>1548</b>                 | <b>702</b>                    |
| <b>Grams alpha per tin:</b>      | <b>600</b>                  | <b>600</b>                    |
| Net weight / tin*:               | 2.205                       | 1.000                         |
| <i>*Assuming an alpha of:</i>    | 60.0%                       | 60.0%                         |
| <b>Net product wt. / pallet:</b> | <b>1481</b>                 | <b>672</b>                    |
| <b>Gross wt. / pallet:</b>       | <b>1753</b>                 | <b>795</b>                    |

| <b>2 KG TIN</b>  |                             |                              |
|--|-----------------------------|------------------------------|
| For contents of 600 gma, 700 gma, 750 gma, 800 gma, 900 gma, 1000 gma and 1200 gma |                             |                              |
| Description  | Standard (in, lbs)          | Metric (mm, kgs)             |
| Tin dimensions:  | 6.18OD x 4.62H in           | 156.972 X 117.348 mm         |
| Carton dimensions:   | 19.25L x 12.87W x 5.25H in  | 488.95 X 326.898 X 133.35 mm |
| Pallet dimensions:   | 48.00L x 40.00W x 4.50H in  | 1219.2 X 1016 X 114.3 mm     |
| Filled pallet dimensions:  | 48.00L x 40.00W x 41.25H in | 1219.2 X 1016 X 1047.75 mm   |
| <b>Cubic Ft/M / pallet:</b>  | <b>45.83</b>                | <b>1.30</b>                  |
| Tin weight:  | 0.54                        | 0.25                         |
| Carton weight:   | 0.96                        | 0.44                         |
| Pallet weight:   | 35.0                        | 15.9                         |
| Total packaging weight:  | 241.4                       | 109.5                        |
| <b>Grams alpha per tin:</b>  | <b>600</b>                  | <b>600</b>                   |
| Net weight / tin*:   | 2.281                       | 1.034                        |
| <i>*Assuming an alpha of:</i>  | 58.0%                       | 58.0%                        |
| Tins / carton:   | 6                           | 6                            |
| Cartons / layer:   | 7                           | 7                            |
| Layers / pallet:   | 7                           | 7                            |
| Cartons / pallet:  | 49                          | 49                           |
| <b>Net product wt. / pallet:</b>   | <b>671</b>                  | <b>304</b>                   |
| <b>Gross wt. / pallet:</b>   | <b>912</b>                  | <b>414</b>                   |
| <b>Grams alpha per tin:</b>  | <b>700</b>                  | <b>700</b>                   |
| Net weight / tin*:   | 2.661                       | 1.207                        |
| <i>*Assuming an alpha of:</i>  | 58.0%                       | 58.0%                        |
| <b>Net product wt. / pallet:</b>   | <b>782</b>                  | <b>355</b>                   |
| <b>Gross wt. / pallet:</b>   | <b>1024</b>                 | <b>464</b>                   |
| <b>Grams alpha per tin:</b>  | <b>750</b>                  | <b>750</b>                   |
| Net weight / tin*:   | 2.851                       | 1.293                        |
| <i>*Assuming an alpha of:</i>  | 58.0%                       | 58.0%                        |
| <b>Net product wt. / pallet:</b>   | <b>838</b>                  | <b>380</b>                   |
| <b>Gross wt. / pallet:</b>   | <b>1080</b>                 | <b>490</b>                   |
| <b>Grams alpha per tin:</b>  | <b>800</b>                  | <b>800</b>                   |
| Net weight / tin*:   | 3.041                       | 1.379                        |
| <i>*Assuming an alpha of:</i>  | 58.0%                       | 58.0%                        |
| <b>Net product wt. / pallet:</b>   | <b>894</b>                  | <b>406</b>                   |
| <b>Gross wt. / pallet:</b>   | <b>1135</b>                 | <b>515</b>                   |
| <b>Grams alpha per tin:</b>  | <b>900</b>                  | <b>900</b>                   |
| Net weight / tin*:   | 3.421                       | 1.552                        |
| <i>*Assuming an alpha of:</i>  | 58.0%                       | 58.0%                        |
| <b>Net product wt. / pallet:</b>   | <b>1006</b>                 | <b>456</b>                   |
| <b>Gross wt. / pallet:</b>   | <b>1247</b>                 | <b>566</b>                   |
| <b>Grams alpha per tin:</b>  | <b>1000</b>                 | <b>1000</b>                  |
| Net weight / tin*:   | 3.801                       | 1.724                        |
| <i>*Assuming an alpha of:</i>  | 58.0%                       | 58.0%                        |
| <b>Net product wt. / pallet:</b>   | <b>1118</b>                 | <b>507</b>                   |
| <b>Gross wt. / pallet:</b>   | <b>1359</b>                 | <b>616</b>                   |
| <b>Grams alpha per tin:</b>  | <b>1200</b>                 | <b>1200</b>                  |
| Net weight / tin*:   | 4.409                       | 2.000                        |
| <i>*Assuming an alpha of:</i>  | 60.0%                       | 60.0%                        |
| <b>Net product wt. / pallet:</b>   | <b>1296</b>                 | <b>588</b>                   |
| <b>Gross wt. / pallet:</b>   | <b>1538</b>                 | <b>697</b>                   |

**3 KG TIN**

*For contents of 1000 gma, 1500 gma and 1800 gma*

| Description                      | Standard (in, lbs)          | Metric (mm, kgs)               |
|----------------------------------|-----------------------------|--------------------------------|
| Tin dimensions:                  | 6.18OD x 7.00H in           | 156.972 X 177.8 mm             |
| Carton dimensions:               | 18.87L x 12.68W x 7.62H in  | 479.298 X 322.072 X 193.548 mm |
| Pallet dimensions:               | 48.00L x 40.00W x 4.50H in  | 1219.2 X 1016 X 114.3 mm       |
| Filled pallet dimensions:        | 48.00L x 40.00W x 43.00H in | 1219.2 X 1016 X 1092.2 mm      |
| <b>Cubic Ft/M / pallet:</b>      | <b>47.78</b>                | <b>1.35</b>                    |
| Tin weight:                      | 0.70                        | 0.32                           |
| Carton weight:                   | 1.26                        | 0.57                           |
| Pallet weight:                   | 35.0                        | 15.9                           |
| Total packaging weight:          | 224.875                     | 102.0                          |
| <b>Grams alpha per tin:</b>      | <b>1000</b>                 | <b>1000</b>                    |
| Net weight / tin*:               | 3.801                       | 1.724                          |
| <i>*Assuming an alpha of:</i>    | 58.0%                       | 58.0%                          |
| Tins / carton:                   | 6                           | 6                              |
| Cartons / layer:                 | 7                           | 7                              |
| Layers / pallet:                 | 5                           | 5                              |
| Cartons / pallet:                | 35                          | 35                             |
| <b>Net product wt. / pallet:</b> | <b>798</b>                  | <b>362</b>                     |
| <b>Gross wt. / pallet:</b>       | <b>1023</b>                 | <b>464</b>                     |
| <b>Grams alpha per tin:</b>      | <b>1500</b>                 | <b>1500</b>                    |
| Net weight / tin*:               | 5.702                       | 2.586                          |
| <i>*Assuming an alpha of:</i>    | 58.0%                       | 58.0%                          |
| <b>Net product wt. / pallet:</b> | <b>1197</b>                 | <b>543</b>                     |
| <b>Gross wt. / pallet:</b>       | <b>1422</b>                 | <b>645</b>                     |
| <b>Grams alpha per tin:</b>      | <b>1600</b>                 | <b>1600</b>                    |
| Net weight / tin*:               | 6.082                       | 2.759                          |
| <i>*Assuming an alpha of:</i>    | 58.0%                       | 58.0%                          |
| <b>Net product wt. / pallet:</b> | <b>1277</b>                 | <b>579</b>                     |
| <b>Gross wt. / pallet:</b>       | <b>1502</b>                 | <b>681</b>                     |
| <b>Grams alpha per tin:</b>      | <b>1800</b>                 | <b>1800</b>                    |
| Net weight / tin*:               | 6.614                       | 3.000                          |
| <i>*Assuming an alpha of:</i>    | 60.0%                       | 60.0%                          |
| <b>Net product wt. / pallet:</b> | <b>1389</b>                 | <b>630</b>                     |
| <b>Gross wt. / pallet:</b>       | <b>1614</b>                 | <b>732</b>                     |

| <b>4 KG TIN</b>  |                             |                               |
|--|-----------------------------|-------------------------------|
| <i>For contents of 1800 gma, 2000 gma and 2400 gma</i> |                             |                               |
| Description  | Standard (in, lbs)          | Metric (mm, kgs)              |
| Tin dimensions:  | 6.18OD x 8.75H in           | 156.972 X 222.25 mm           |
| Carton dimensions:                                     | 18.10L x 12.08W x 8.12H in  | 459.74 X 306.832 X 206.248 mm |
| Pallet dimensions:                                     | 48.00L x 40.00W x 4.50H in  | 1219.2 X 1016 X 114.3 mm      |
| Filled pallet dimensions:                              | 48.00L x 40.00W x 37.00H in | 1219.2 X 1016 X 939.8 mm      |
| <b>Cubic Ft/M / pallet:</b>                            | <b>41.11</b>                | <b>1.16</b>                   |
| Tin weight:  | 0.74                        | 0.34                          |
| Carton weight:   | 1.15                        | 0.52                          |
| Pallet weight:   | 35.0                        | 15.9                          |
| Total packaging weight:                                | 191.52                      | 86.9                          |
| <b>Grams alpha per tin:</b>                            | <b>1800</b>                 | <b>1800</b>                   |
| Net weight / tin*:                                     | 6.842                       | 3.103                         |
| <i>*Assuming an alpha of:</i>                          | 58.0%                       | 58.0%                         |
| Tins / carton:   | 6                           | 6                             |
| Cartons / layer:                                       | 7                           | 7                             |
| Layers / pallet:                                       | 4                           | 4                             |
| Cartons / pallet:                                      | 28                          | 28                            |
| <b>Net product wt. / pallet:</b>                       | <b>1149</b>                 | <b>521</b>                    |
| <b>Gross wt. / pallet:</b>                             | <b>1341</b>                 | <b>608</b>                    |
| <b>Grams alpha per tin:</b>                            | <b>2000</b>                 | <b>2000</b>                   |
| Net weight / tin*:                                     | 7.602                       | 3.448                         |
| <i>*Assuming an alpha of:</i>                          | 58.0%                       | 58.0%                         |
| <b>Net product wt. / pallet:</b>                       | <b>1596</b>                 | <b>724</b>                    |
| <b>Gross wt. / pallet:</b>                             | <b>1821</b>                 | <b>826</b>                    |
| <b>Grams alpha per tin:</b>                            | <b>2400</b>                 | <b>2400</b>                   |
| Net weight / tin*:                                     | 8.818                       | 4.000                         |
| <i>*Assuming an alpha of:</i>                          | 60.0%                       | 60.0%                         |
| <b>Net product wt. / pallet:</b>                       | <b>1852</b>                 | <b>840</b>                    |
| <b>Gross wt. / pallet:</b>                             | <b>2077</b>                 | <b>942</b>                    |